


n°	Article	Quantité utilisée
3	303255 SEAL LOCK SCREW M4X10 (W/SP WASHER)	2
4	301944 PUSHING BUTTON	1
5	321737 GEAR COVER ASS'Y	1
6	309191 SPECIAL NUT M6	1
7	308543 SEAL RING (A)	1
8	980866 WASHER (C)	1
9	629T12 BALL BEARING 629T12DDC3PS2-L	1
10	957754 RUBBER RING (OLD 994299)	1
11	321734 BEARING COVER	1
12	360870E ARMATURE 230-240 VOLT	1
13	321732 FAN GUIDE	1
14	982021 HEX. HD. TAPPING SCREW D4X70	2
15A	340823E STATOR 230-240 VOLT	1
16	311737 THRUST WASHER	1
17	311435 DUST SEAL (A)	1
18	608VVM BALL BEARING 608VVC2PS2L	1
19	301943 LOCK PIN	1
20	991207 SEAL LOCK SCREW M4X8 (W/SP WASHER)	3
21	936680 BEARING COVER (B)	1
22	6201DD BALL BEARING 6201DDUCMAV2S	1
23	308546 FELT PACKING	1
24	308545 PACKING GLAND	1
25	307046 SEAL LOCK SCREW M5X16 (W/WASHER)	4
26	944109 FEATHER KEY 3X3X8	1
27	994301 SPINDLE (A)	1
28	311744 SET PIN	1
29	311491 SET PIECE (B)	1
30	316107 HEX. HOLE BOLT M5X20 (W/WASHERS) (OLD 900162-05020)	1
31	874759 RETAINING RING (E-TYPE) FOR D2.5	1
32	311492 LABEL	1
37	311486 GEAR ASS'Y (OLD 311487+311488)	1
39	321731 HOUSING	1
41	317810 BRUSH HOLDER	2
42	999076 CARBON BRUSH (AUTO STOP TYPE) (1 PAIR)	1
43	308536 SPRING	2
44	321733 RUBBER RING	1
45	318721 MAGNET	1
46	334273 CONTROLLER 230-240 VOLT	1

n°	Article	Quantité utilisée
47	334504 TAIL COVER (B)	1
48	303694 TAPPING SCREW D4X35 (W/FLANGE) BLACK	2
49	301653 TAPPING SCREW (W/FLANGE) D4X20 (BLACK)	1
50	334505 SUMI TUBE W3F2	1
51	959140 CONNECTOR 50091 (10 PCS.)	1
52	999088 CARBON BRUSH	1
53	334508 INTERNAL WIRE	1
54	938307 PILLAR TERMINAL	1
56	980063 TERMINAL	1
57	960266 CORD CLIP	1
58	953327 CORD ARMOR D8.8	1
60	321738 TAIL COVER (A)	1
61	308553 DUST SEAL	1
62	321099 SWITCH (OLD 308400)	1
63	983595 SPRING (OLD 961981Z)	1
64	308554 PADDLE LEVER	1
65	308558 LEVER ACTION SEAL	1
65	308557 LEVER ACTION SEAL	1
66	301631 SPRING (F)	1
67	982696 FEATHER KEY 3X3X15	1
68	308555 LOCK LEVER	1
68	308556 LOCK LEVER	1
503	944458 HEX. BAR WRENCH 4MM	1
601	310338 SUPER WHEEL WASHER	1
603	332794 CUTTING WHEEL GUARD 150 MM W/O BASE	1



Rev.5

形 名
G15YC2