


n°	Article	Quantité utilisée
1	305618 RETAINER	1
2	949874 ROLL PIN D6X36 (10 PCS) (OLD 967029)	2
3	305620 LEVER PIN	1
5	305619 FRONT COVER	1
6	305621 RETAINER DAMPER	2
7	993188 O-RING	1
8	877316 O-RING (S-90)	1
9	305617 SECOND HAMMER	1
10	992865 O-RING (D)	1
11	956503 O-RING (A)	1
12	305616 HAMMER HOLDER	1
13	992859 DAMPER	1
15	305615 CYLINDER CASE	1
16A	306372 NYLOCK BOLT M10X45 (OLD 993198)	4
17	949445 WASHER M10 (10 PCS) (OLD 949445Z)	4
18	993195 O-RING	1
19	305612 STRIKER	1
21	305614 PISTON PIN	1
22	878716 O-RING (P-46)	1
23	305613 CONNECTING ROD ASS'Y	1
24	956485 NEEDLE BEARING NSK TORR RLM2220	1
25	992870 PIN	1
26	992869 SWITCH LEVER	1
27	968643 RETAINING RING (E-TYPE) FOR D4 SHAFT	1
28	993496 SEAL LOCK HEX. SOCKET HD. BOLT M6X30	8
29	305636 HANDLE (A)	1
30B	500450Z CORD 230 VOLT GBR	1
30A	500466Z CORD 3M 2 X 1,5 H07RN-F W/PLUG 16A CEE FORM 2P+E FOR GBR	1
31	940778 CORD ARMOR D10.7	1
31	958049 CORD ARMOR D8.2 (OLD 958049Z)	1
32	994273 NOISE SUPPRESSOR	1
33	963243 SUPPORT (OLD 931575Z)	1
33	930153 SUPPORT (B)	1
34	959140 CONNECTOR 50091 (10 PCS.)	1
35	959141 CONNECTOR 50092 (10 PCS) (OLD 939558)	2
36	938307 PILLAR TERMINAL	1
37	958308Z PILLAR TERMINAL (A)	1
38	996438 VINYL TUBE (A) I.D.7XTO.5X50	2

n°	Article	Quantité utilisée
39	981974 INTERNAL WIRE	1
40	980063 TERMINAL	1
40	930804 TERMINAL M4.0 (10 PCS.)	1
40	992810 TERMINAL	1
41	981987Z CORD CLIP	1
41	960266 CORD CLIP	1
42A	982095 TAPPING SCREW D4X20 (W/WASHER) (OLD 996255)	2
43	992891 SWITCH (A) (1P SCREW TYPE) W/O LOCK	1
43	981533Z SWITCH (2P PILLAR TYPE) W/O LOCK	1
44	949423 WASHER M4 (10 PCS)	1
45	981986Z SUPPORT (A)	1
46	305634 HANDLE HOLDER (B)	1
47	949426 WASHER M8 (10 PCS)	2
49	305631 HANDLE (B)	1
50	301653 TAPPING SCREW (W/FLANGE) D4X20 (BLACK)	2
51	305624 HANDLE SHAFT	1
52	305598 HOLDER (B)	2
53	305623 HOLDER (A)	2
54	305622 HANDLE DAMPER	8
55	305633 SIDE HANDLE	1
56	305625 HANDLE HOLDER (A)	1
57	949510 RIVET D2.5X4.8 (10 PCS) (OLD 949510Z)	2
59	992851 SEAL LOCK HEX. SOCKET HD. BOLT M10X60	4
60A	336338 GEAR COVER ASS'Y (METALLIC SILVER GREEN) (OLD 305637)	1
61	949699 HEX.SOCKET HD.BOLT M4X20 (10 PCS)	2
62	305629 STOPPER	2
63	6204VV BALL BEARING 6204VVCMP2S	1
64	305609 DISTANCE RING (A)	1
65	305608 FINAL GEAR	1
66	305607 DISTANCE RING (B)	1
67	996433 SEAL LOCK HEX. SOCKET M10X55	2
68	6201VV BALL BEARING 6201VVCMP2L	3
69	305605 FIRST GEAR	1
70	305604 SECOND GEAR	1
71	930511 FEATHER KEY 4X4X10	1
72	991690 SEAL LOCK HEX. SOCKET HD. BOLT M5X12	3
73	305600 BEARING COVER (A)	1
74A	6203DD BALL BEARING 6203DDUCMAV2S	1

n°	Article	Quantité utilisée
75	992841 BEARING WASHER	1
76	949480 PIN D8X14 (10 PCS) (OLD 949480Z)	1
77A	336337 INNER COVER (METALLIC SILVER GREEN) (OLD 305599)	1
78	305602 DISTANCE RING (C)	1
79	6305VV BALL BEARING 6305VVCMP2S (OLD 939456)	1
80	992847 O-RING (A)	1
81	305601 BEARING BOSS	1
82A	305603 SEAL LOCK HEX. SOCKET HD. BOLT M8X18	4
83	992846 OIL SEAL	1
84	931008 FEATHER KEY 4X4X12	2
85	305606 CRANK SHAFT	1
86A	336339 HOUSING ASS'Y (METALLIC SILVER GREEN) (OLD 305596)	1
87	980717 O-RING (S-38)	1
88A	990945 OIL CAP ASS'Y (OLD 982646)	1
89	992894 CAP RUBBER	2
90	878356 SEAL LOCK HEX. SOCKET HD. BOLT M4X10	4
91	305635 CAP COVER	2
92	937949 BRUSH CAP	2
93B	999086 CARBON BRUSH A.S. TYPE (1 PAIR)	2
94	305597 BRUSH HOLDER	2
95	938477 HEX.SOCKET SET SCREW M5X8	2
96	305627 INTERNAL WIRE HOLDER	1
97	305630 TAIL COVER	1
98	990935 SEAL LOCK HEX. SOCKET HD. BOLT M6X16	2
99	996370 FAN	1
100	360262F ARMATURE 240 VOLT	1
100	360262E ARMATURE 220-230 VOLT	1
102	956764 SPECIAL WASHER	2
103	305798 INTERNAL WIRE	1
104	305610 FAN GUIDE	1
105	945932 BRUSH TERMINAL	2
106	340238E STATOR ASS'Y 220-230 VOLT	1
106	340238F STATOR ASS'Y 240 VOLT	1
106	340238C STATOR ASS'Y 110-115 VOLT	1
107	944954 BEARING WASHER	1
108	305628 HOUSING COVER	1
109	996437 COLLAR	4
110	301582 HEX.SOCKET HD.BOLT M6X16 (W/FLANGE)	4

n°	Article	Quantité utilisée
501	943277 HEX. BAR WRENCH 3MM	1
502	944459 HEX. BAR WRENCH 5MM	1
503	993740 HEX. BAR WRENCH 10MM	1
604	993183 SCOOP	1
605	980927 GREASE FOR IMPACT DRILL (FG-6A) (500G)	1
606	936728 WRENCH	1
607	305880 RAMMER 200MM	1



REV.2

形 名
H90SC