


n°	Article	Quantité utilisée
1	876031 O-RING (S-16)	1
2	323487 LOCATOR ASS'Y	1
3	323488 CLICK SPRING	1
4	971468 FRINGER (A)	1
5	317662 O-RING (F)	1
6	323558 PROTECT COVER (A)	1
7	321057 TAPPING SCREW D4X25 (BLACK)	3
8	323486 GEAR COVER (A) ASS'Y	1
9	872573 SET RING	1
10	959148 STEEL BALL D3.175 (10 PCS)	2
11	323491 SOCKET (A) ASS'Y	1
12	323476 CLUTCH DISC	1
13	306024 SPRING	1
14	323504 GEAR SET	1
16	933545 WASHER (A)	2
17	323556 SLOTTED HD.SCREW SEAL LOCK M4X8	2
18	6900VV BALL BEARING 6900VV2MPS2L	1
21	360677E ARMATURE (C) 220-230 VOLT	1
21	360676 ARMATURE (C) 110 VOLT	1
22	323472 FAN GUIDE	1
23	961672 HEX.HD. TAPPING SCREW D4X50	2
24	340599C STATOR 110-120 VOLT	1
24	340599E STATOR 220-230 VOLT	1
25	608VVM BALL BEARING 608VVC2PS2L	1
27	323471 HOOK	1
29	323512 BRUSH HOLDER (A)	2
30	999091 CARBON BRUSH A.S. TYPE (1 PAIR)	2
32	323480 CHOKE COIL (W/INTERNAL WIRE) BROWN	1
33	323479 SWITCH (1P PILLAR TYPE) W/LOCK	1
35	323481 CHOKE COIL (W/INTERNAL WIRE) BLUE	1
36A	326671 HOUSING (OLD 323483)	1
37	953327 CORD ARMOR D8.8	1
38	323562 CORD (LENGTH 7.5M) FOR GBR 110 VOLT	1
38	500435Z CORD 2,5M 2 X 1.0 H05VV-F W/PLUG 13A/250V GBR	1
38	323560 CORD (LENGTH 7.5M) FOR GBR 230 VOLT	1
38	323559 CORD (LENGTH 7.5M)	1
39	937631 CORD CLIP	1
41	959140 CONNECTOR 50091 (10 PCS.)	2

n°	Article	Quantité utilisée
42	930039 NOISE SUPPRESSOR	1
43	994273 NOISE SUPPRESSOR	1
44	317667 INTERNAL WIRE	2
45	992635 EARTH TERMINAL	1
46A	326672 HANDLE COVER (OLD 323484)	1
47	301653 TAPPING SCREW (W/FLANGE) D4X20 (BLACK)	3
48	329770 SPONGE NEW	1
501	323352 SUB STOPPER (G)	1
504	323351 SUB STOPPER (F)	1
601	317670 SUB STOPPER (B) FOR H3/8	0
602	317671 SUB STOPPER (B) FOR H5/16 HEX. SOCKET	1
603	317827 SUB STOPPER (B) H1/4 HEX. SOCKET	1
604	985330 MAGNETIC HEX. SOCKET 3/8"X65L	1
605	985321 MAGNETIC HEX. SOCKET 10MMX65L	1
606	985322 MAGNETIC HEX. SOCKET 5/16"X65L	1
610	985327 NON-MAGNETIC HEX. SOCKET 5/16" 65L	1
628	310904 CASE	1



Rev.3

形 名
W6VM